
Service Description

Service Description

OpenText™ Core Identity Manager Single-Tenant

January 2025

opentext™

Copyright 2025 Open Text

V7.4

Contents

Contents	2
Standard Service Features.....	3
Data Backup and Retention	6
SaaS Security.....	6
Audit.....	8
Micro Focus Security Policies	8
Security Incident Response.....	8
Micro Focus Employees and Subcontractors.....	8
Data Subject Requests	8
Scheduled Maintenance.....	8
Service Decommissioning.....	9
Service Level Objectives	9
Standard Service Requirements	12

This Service Description describes the components and services included in OpenText™ Core Identity Manager Single-Tenant (known as “Identity Manager Single-Tenant SaaS”) and, unless otherwise agreed to in writing, is subject to the Micro Focus Customer Terms for Software-as-a-Service (“SaaS Terms”) found at <https://www.microfocus.com/en-us/legal/software-licensing>. Capitalized terms used but not defined herein shall have the meanings set forth in the SaaS Terms.

Standard Service Features

High Level Summary

OpenText™ Core Identity Manager Single-Tenant (“Identity Manager”) is a cloud hosted implementation of NetIQ Identity Manager that delivers identity lifecycle management for customers. Micro Focus oversees the deployment, infrastructure, operation, availability, security and data protection and support of the service.

SaaS Operational Services

Identity Manager Delivery Components

Identity Manager Single-Tenant Service	✓
Remote Loader Cloud Connector	✓
Password Reset	✓
Site -to-Site VPN (for communication with customer off-cloud application data)	✓
One Production Tenant	✓
One Staging Tenant (Staging Tenant is of a lesser capacity than the production tenant)	✓
✓ = Included	

○ = Optional for a fee

SaaS Operational Services

Identity Manager Capabilities

1. Identity Manager Components
 - Identity Manager Standard or Advanced Edition
 - Identity Vault
 - Identity Engine
 - Publisher and Subscriber model
 - Provisioning Roles
 - Identity Application (interfaces)
 - Identity Workflow Engine (orchestration)
 - Identity Intelligence and Reporting
 - Remote Loader for drivers

Service Description

OpenText™ Core Identity Manager Single-Tenant

2. Off-Cloud Bridge to Application Data

- AWS Site to Site VPN will be used to establish Identity Manager service connections for the customers off-cloud application data

Architecture Components

Identity Vault

A cluster of three (3) eDirectory Servers organized to provide a redundant and fault tolerant repository for the normalized, shared identity information.

Identity Manager Engine

The core of Identity Manager, processing all bidirectional change events flowing from and to the connected systems, performing all Schema, Data, Matching, Create, Placement, Command, and Event transformation to these change events.

Identity Manager Drivers/Connectors

The interface into the connected applications/systems that uses whatever native application programming interface (API) calls the system makes available.

Identity Manager Remote Loader

This component facilitates the remote operation of an Identity Manager drivers allowing for the Driver Shim to operate locally with the connected application or system.

Micro Focus does not install, deploy, or manage off-cloud components that may be required to use Identity Manager.

Application Administration

Administration will be provided through the Identity Manager products' existing administrative interfaces.

For a hybrid setup that involves integration with identity manager services or other off-cloud applications, the client-side administrator will need to do the necessary setup as per the outlined guidelines.

Data Migration from an existing off-cloud Identity Manager service to Identity Manager will have to be performed by the client-side administrator as per the outlined steps and guidelines.

Service Support

Customer may contact Micro Focus through submitting online support tickets or by telephone. The Micro Focus Support Team will either provide support to the Customer directly or coordinate delivery of this support. Online support for SaaS is available at: <https://support.cyberreshelp.com>.

Service Description
OpenText™ Core Identity Manager Single-Tenant

Emails questions to CyberResSupport@microfocus.com.
 Call in: 1 (855) 982-2261

Micro Focus staffs and maintains a 24x5x52weeks Service Operations Center with on-call coverage on weekends and holidays for Severity 1 issues which will be the single point of contact for all issues related to the support for SaaS. Customer will maintain a list of authorized users who may contact Micro Focus for support. Customer's authorized users may contact Micro Focus for support via the Web portal or telephone 24 hours a day, 7 days a week.

Severity Level	Technical response	Update Frequency	Target For Resolution	What Qualifies?
1	Immediate	Hourly	4 hours	Total or substantial failure of service. Known or suspected security events
2	30 mins	Every 2 hours	8 hours	Significant degradation of service, major feature inability
3	4 hours	Every 8 hours	24 hours	Performance issues outside the of the norm but not substantial enough to prevent usability of a feature. Issues with reports generated from within the customer's Tenant
4	As available	As available	Determined by the customer impact or LOE	Issues in deployed products not substantial enough to prevent required customer functionality from being accessible but requiring development time to resolve.

Service Monitoring

Micro Focus monitors SaaS availability 24x7. Micro Focus uses a centralized notification system to deliver proactive communications about service changes, outages, and scheduled maintenance. Alerts and notifications are available to Customer online at: <https://support.cyberreshelp.com>.

Capacity and Performance Management

The architecture allows for addition of capacity to applications, databases, and storage.

Operational Change Management

Micro Focus follows a set of standardized methodologies and procedures for efficient and prompt handling of changes to SaaS infrastructure and application, which enables beneficial changes to be made with minimal disruption to the service.

Data Backup and Retention

The data backup and retention described in this section are part of Micro Focus's overall business continuity management practices designed to attempt to recover availability to SaaS and SaaS Data for Customer following an outage or similar loss of service for SaaS.

SaaS Data

The following types of SaaS Data reside in the SaaS environment:

Micro Focus performs a backup of SaaS Data every day. Micro Focus retains each backup for the most recent fourteen (14) days.

Micro Focus's standard storage and backup measures are Micro Focus's only responsibility regarding the retention of this data, despite any assistance or efforts provided by Micro Focus to recover or restore Customer's data. Customer may request via a service request for Micro Focus to attempt to restore such data from Micro Focus's most current backup. Micro Focus will be unable to restore any data not properly entered by Customer or lost or corrupted at the time of backup or if Customer's request comes after the 14 days data retention time of such backup.

Disaster Recovery for SaaS

Business Continuity Plan

Micro Focus continuously evaluates different risks that might affect the integrity and availability of SaaS. As part of this continuous evaluation, Micro Focus develops policies, standards and processes that are implemented to reduce the probability of a continuous service disruption. Micro Focus documents its processes in a business continuity plan ("BCP") which includes a disaster recovery plan ("DRP"). Micro Focus utilizes the BCP to provide core SaaS and infrastructure services with minimum disruption. The DRP includes a set of processes that implements and tests SaaS recovery capabilities to reduce the probability of a continuous service interruption in the event of a service disruption.

Backups (High Availability and Durability)

Micro Focus SaaS utilizes cloud-native functions such as replication between primary and secondary availability zones to ensure data availability and recoverability. All replicas reside within the same governmental compliance boundary to ensure adherence to all applicable data residency regulations. Real-time replication is used between primary and standby nodes to facilitate an RPO of 2 hours (Real-time replication is used between nodes). No removable media is used at any time to ensure the protection of customer data.

SaaS Security

Micro Focus maintains an information and physical security program designed to protect the confidentiality, availability, and integrity of SaaS Data.

Technical and Organizational Measures

Micro Focus regularly tests and monitors the effectiveness of its controls and procedures. No security measures are or can be completely effective against all security threats, present and future, known and unknown. The measures set forth in this section may be modified by Micro Focus but represent a minimum standard. Customer remains responsible for determining the sufficiency of these measures.

Access Controls

Micro Focus maintains the following standards for access controls and administration designed to make SaaS Data accessible only by authorized Micro Focus personnel who have a legitimate business need for such access:

- Secure user identification and authentication protocols
- Authentication of Micro Focus personnel in compliance with Micro Focus standards and in accordance with ISO27001 requirements for segregation of duties
- SaaS Data is accessible only by authorized Micro Focus personnel who have a legitimate business need for such access, with user authentication, sign-on and access controls
- Employment termination or role change is conducted in a controlled and secured manner
- Administrator accounts should only be used for the purpose of performing administrative activities
- Each account with administrative privileges must be traceable to a uniquely identifiable individual
- All access to computers and servers must be authenticated and within the scope of an employee's job function
- Collection of information that can link users to actions in the SaaS environment
- Collection and maintenance of log audits for the application, OS, DB, network, and security devices according to the baseline requirements identified
- Restriction of access to log information based on user roles and the "need-to-know"
- Prohibition of shared accounts

Availability Controls

Micro Focus's business continuity management process includes a rehearsed method of restoring the ability to supply critical services upon a service disruption. Micro Focus's continuity plans cover operational shared infrastructure such as remote access, active directory, DNS services, and mail services. Monitoring systems are designed to generate automatic alerts that notify Micro Focus of events such as a server crash or disconnected network.

Controls regarding disruption prevention include:

- Uninterruptible power supplies (UPS) and backup power generators
- At least two independent power supplies in the building
- Robust external network connectivity infrastructure

Data Segregation

SaaS environments are segregated logically by access control mechanisms. Internet-facing devices are configured with a set of access control lists (ACLs), which are designed to prevent unauthorized access to internal networks. Micro Focus uses security solutions on the perimeter level such as: firewalls, IPS/IDS, proxies, and content-based inspection in order to detect hostile activity in addition to monitoring the environment's health and availability.

Data Encryption

Micro Focus uses industry standard techniques to encrypt SaaS Data in transit. All inbound and outbound traffic to the external network is encrypted.

Audit

Micro Focus appoints an independent third party to conduct an annual audit of the applicable policies used by Micro Focus to provide SaaS. A summary report or similar documentation will be provided to Customer upon request. Subject to Customer's execution of Micro Focus's standard confidentiality agreement, Micro Focus agrees to respond to a reasonable industry standard information security questionnaire concerning its information and physical security program specific to SaaS no more than once per year. Such information security questionnaire will be considered Micro Focus confidential information.

Micro Focus Security Policies

Micro Focus conducts annual reviews of its policies around the delivery of SAAS against ISO 27001, which includes controls derived from ISO 27034 – "Information Technology – Security Techniques – Application Security". Micro Focus regularly re-evaluates and updates its information and physical security program as the industry evolves, new technologies emerge, or new threats are identified.

Security Incident Response

In the event Micro Focus confirms a security incident resulted in the loss, unauthorized disclosure, or alteration of SaaS Data ("Security Incident"), Micro Focus will notify Customer of the Security Incident and work to reasonably mitigate the impact of such Security Incident. Should Customer believe that there has been unauthorized use of Customer's account, credentials, or passwords, Customer must immediately notify Micro Focus Security Operations Center via softwaresoc@microfocus.com.

Micro Focus Employees and Subcontractors

Micro Focus requires that all employees involved in the processing of SaaS Data are authorized personnel with a need to access the SaaS Data, are bound by appropriate confidentiality obligations and have undergone appropriate training in the protection of customer data. Micro Focus requires that any affiliate or third-party subcontractor involved in processing SaaS Data enters into a written agreement with Micro Focus, which includes confidentiality obligations substantially similar to those contained herein and appropriate to the nature of the processing involved.

Data Subject Requests

Micro Focus will refer to Customer any queries from data subjects in connection with SaaS Data.

Scheduled Maintenance

To enable Customers to plan for scheduled maintenance by Micro Focus, Micro Focus reserves predefined timeframes to be used on an as-needed basis.

A twenty-four-hour period once a quarter starting at Saturday, midnight in the local data center region, and ending on Sunday, midnight.

- This window is considered an optional placeholder for major releases and events that could be significantly service impactful. If the window is to be used, and a major disruption expected, all customers should be notified no later than ten business days before.

A two-hour maintenance window once a month starting Thursday (PROD) Tuesday (STAGE), midnight in the local data center region.

Service Description

OpenText™ Core Identity Manager Single-Tenant

- This is for patching of environments. Patching should be done in a non-service disrupting fashion; however, some elements may require a brief outage to update properly. Customers will be notified at least five business days in advance if any actual service disruption is expected.

A four-hour maintenance window once a month starting Saturday, midnight in the local data center region.

- This time is set aside for system updates and product releases that cannot be performed without a visible customer impact. Use of this window is optional, and customers should be notified at least ten business days in advance if any outage is expected.

In case of any holiday conflicts, the regularly scheduled window will automatically fall to the following week on the same day of the week.

Scheduled Version Updates

Micro Focus will use the Scheduled Maintenance windows defined herein to apply the most recent service packs, hot fixes, and minor version updates to SaaS. To enable Customer to plan for scheduled major version updates by Micro Focus, Micro Focus will schedule major version updates at least two (2) weeks in advance.

However, if Micro Focus does not receive Customer's cooperation in achieving the SaaS Upgrade in a timely manner, Micro Focus reserves the right to charge Customer additional fees that are related to Customer's SaaS instance remaining on a version that is beyond the "end of support" period. Customer also understands that this status may prevent the most recent patches from being applied to its SaaS solution, and that the availability, performance, and security of SaaS as described in this Service Description may be impacted as a result.

Service Decommissioning

Upon expiration or termination of the SaaS Order Term, Micro Focus may disable all Customer access to SaaS, and Customer shall promptly return to Micro Focus (or at Micro Focus's request destroy) any Micro Focus materials.

Micro Focus will make available to Customer any SaaS Data in Micro Focus' possession in the format generally provided by Micro Focus. The target timeframe is set forth below in Termination Data Retrieval Period SLO. After such time, Micro Focus shall have no obligation to maintain or provide any such data, which will be deleted in the ordinary course.

Service Level Objectives

Micro Focus provides clear, detailed, and specific Service Level Objectives (SLOs) for SaaS. These SLOs are targets used by Micro Focus to deliver the service and are provided as guidelines. They in no way create a legal requirement or obligation for Micro Focus to meet these objectives.

Solution Provisioning Time SLO

Solution Provisioning is defined as SaaS being available for access over the internet. Micro Focus targets to make SaaS available within five (5) business days of Customer's Order for SaaS being booked within the Micro Focus order management system.

Service Description

OpenText™ Core Identity Manager Single-Tenant

Customer is responsible for installing, configuring, deploying, updating and paying any additional fees (if required) for any additional off-cloud components for its applications. Any off-cloud components of the solution are not in scope of the Solution Provisioning Time SLO.

Additionally, the import of Customer data into the application is not in scope of the Solution Provisioning Time SLO.

Solution Availability SLO

Solution Availability is defined as the SaaS production application being available for access and use by Customer over the Internet. Micro Focus will provide Customer access to the SaaS production application on a twenty-four hour, seven days a week (24x7) basis at a rate of 99.9 % (“Solution Uptime”).

Measurement Method

Solution Uptime shall be measured by Micro Focus using Micro Focus monitoring software running from a minimum of four global locations with staggered timing.

On a quarterly basis, Solution Support Uptime will be measured using the measurable hours in the quarter (total time minus planned downtime, including maintenance, upgrades, etc.) as the denominator. The numerator is the denominator value minus the time of any outages in the quarter (duration of all outages combined) to give the percentage of available uptime (2,198 actual hours available / 2,200 possible available hours = 99.9% availability).

An “outage” is defined as two consecutive monitor failures within a five-minute period, lasting until the condition has cleared.

Boundaries and Exclusions

Solution Uptime shall not apply to or include any time during which SaaS is unavailable in connection with any of the following (specifically, the number of hours of unavailability in the measured period per the Measurement Method section above due to the following shall not be included in either the numerator or the denominator for the measurement):

- Overall Internet congestion, slowdown, or unavailability
- Unavailability of generic Internet services (e.g., DNS servers) due to virus or hacker attacks
- Force majeure events
- Actions or omissions of Customer (unless undertaken at the express direction of Micro Focus) or third parties beyond the control of Micro Focus
- Unavailability due to Customer equipment or third-party computer hardware, software, or network infrastructure not within the sole control of Micro Focus
- Scheduled maintenance
- Scheduled SaaS upgrades

Online Support Availability SLO

Online Support Availability is defined as the SaaS support portal <https://support.cyberreshelp.com>, being available for access and use by Customer over the Internet. Micro Focus targets to provide Customer access to the SaaS support portal on a twenty-four hour, seven days a week (24x7) basis at a rate of 99.9% (“Online Support Uptime”).

Measurement Method

Online Support Uptime shall be measured by Micro Focus using Micro Focus monitoring software running from a minimum of four global locations with staggered timing. On a quarterly basis, Online Support Uptime will be measured using the measurable hours in the quarter (total time minus planned downtime, including maintenance, upgrades, etc.) as the denominator. The numerator is the denominator value minus the time of any outages in the quarter (duration of all outages combined) to give the percentage of available uptime (2,198 actual hours available / 2,200 possible available hours = 99.9 availability).

An “outage” is defined as two consecutive monitor failures within a five-minute period, lasting until the condition has cleared.

Boundaries and Exclusions

Online Support Uptime shall not apply to or include any time during which the SaaS support portal is unavailable in connection with any of the following (specifically, the number of hours of unavailability in the measured period per the Measurement Method section above due to the following shall not be included in either the numerator or the denominator for the measurement):

- Overall Internet congestion, slowdown, or unavailability
- Unavailability of generic Internet services (e.g., DNS servers) due to virus or hacker attacks
- Force majeure events
- Actions or inactions of Customer (unless undertaken at the express direction of Micro Focus) or third parties beyond the control of Micro Focus
- Unavailability due to Customer equipment or third-party computer hardware, software, or network infrastructure not within the sole control of Micro Focus
- Scheduled maintenance
- Scheduled SaaS Upgrades

Initial SaaS Response Time SLO

The Initial SaaS Response Time refers to the support described herein. It is defined as the acknowledgment of the receipt of Customer’s request and the assignment of a case number for tracking purposes. Initial SaaS Response will come as an email to the requester and include the case number and links to track it using Micro Focus online customer portal. The Initial SaaS Response Time covers both service request and support requests. Micro Focus targets to provide the Initial SaaS Response no more than one hour after the successful submission of Customer’s request.

SaaS Support SLOs

There are two types of SaaS Support SLOs: Service Request and Support Request SLOs.

- The Service Request SLO applies to the majority of routine system requests. This includes functional system requests (product add/move/change), informational, and administrative requests.
- The Support Request SLO applies to issues that are not part of the standard operation of the service, and which causes, or may cause, an interruption to or a reduction in the quality of that service.

The Response and Resolution Targets are provided as guidelines and represent typical request processing by Micro Focus SaaS support teams. They in no way create a legal requirement or obligation for Micro Focus to respond in the stated time. The Response and Resolution Targets, including their scope and determining factors (such as impact and urgency), are further described above in the scheduled maintenance section.

Termination Data Retrieval Period SLO

The Termination Data Retrieval Period is defined as the length of time in which Customer can retrieve a copy of their SaaS Data from Micro Focus. Micro Focus targets to make available such data for download in the format generally provided by Micro Focus for 30 days following the termination of the SaaS Order Term.

Standard Service Requirements

Roles and Responsibilities

This section describes general Customer and Micro Focus responsibilities relative to SaaS. Micro Focus's ability to fulfill its responsibilities relative to SaaS is dependent upon Customer fulfilling the responsibilities described below and elsewhere herein:

Customer Roles and Responsibilities

Customer Role	Responsibilities
Business Owner	<ul style="list-style-type: none">• Owns the business relationship between the customer and Micro Focus• Owns the business relationship with the range of departments and organizations using SaaS• Manages contract issues
Project Manager	<p>Coordinates customer resources as necessary</p> <ul style="list-style-type: none">• Serves as the point of contact between the customer and Micro Focus• Drives communication from the customer side• Serves as the point of escalation for issue resolution and service-related issues
Administrator	<ul style="list-style-type: none">• Serves as the first point of contact for SaaS end users for problem isolation• Performs SaaS administration• Provides tier-1 support and works with Micro Focus to provide tier-2 support• Coordinates end-user testing as required• Leads ongoing solution validation• Trains the end-user community• Coordinates infrastructure-related activities at the customer site• Owns any customization
Subject Matter Expert	<p>Leverages the product functionality designed by Customer's SaaS administrators.</p> <ul style="list-style-type: none">• Provides periodic feedback to the SaaS Administrator

Micro Focus Roles and Responsibilities

Micro Focus Role	Responsibilities
Customer Service Centre (CSC)	<ul style="list-style-type: none">• Primary point of contact for service requests. The customer can contact the Service Operations Center for all services such as support and maintenance, or issues regarding availability of SaaS• Provides 24x 5 application support with on call available for Severity 1 issues 24 x 7.
Operations Staff (Ops)	<p>Monitors the Micro Focus systems and SaaS for availability</p> <ul style="list-style-type: none">• Performs system-related tasks such as backups, archiving, and restoring instances according to Micro Focus's standard practices• Provides 24x7 SaaS infrastructure support

Assumptions and Dependencies

This Service Description is based upon the following assumptions and dependencies between the Customer and Micro Focus:

- Customer must have internet connectivity to access SaaS
- SaaS will be delivered remotely in English only
- A SaaS Order Term is valid for a single application deployment, which cannot be changed during the SaaS Order Term
- The service commencement date is the date on which Customer's Order is booked within the Micro Focus order management system
- The import of Customer data into SaaS during the implementation requires that the information is made available to Micro Focus at the appropriate step of the solution implementation and in the Micro Focus designated format
- Customer must ensure that its administrators maintain accurate contact information with Micro Focus
- Customer has determined, selected, and will use options in the Customer environment that are appropriate to meet its requirements, including information security controls, connectivity options, and business continuity, backup, and archival options
- Customer will establish and follow secure practices for individual account-based access for accountability and traceability

Furthermore, SaaS is provided based on the assumption that Customer will implement and maintain the following controls in its use of SaaS:

- Configuring Customer's browser and other clients to interact with SaaS
- Configuring Customer's network devices to access SaaS
- Appointing authorized users
- Configuring its SaaS account to require that end user passwords are sufficiently strong and properly managed
- Procedures for access approvals, modifications, and terminations

Good Faith Cooperation

Customer acknowledges that Micro Focus's ability to provide SaaS and related services depends upon Customer's timely performance of its obligations and cooperation, as well as the accuracy and completeness of any information and data provided to Micro Focus. Where this Service Description requires agreement, approval, acceptance, consent or similar action by either party, such action will not be unreasonably delayed or withheld. Customer agrees that to the extent its failure to meet its responsibilities results in a failure or delay by Micro Focus in performing its obligations under this Service Description, Micro Focus will not be liable for such failure or delay.